




A typical 3 x 3 kit includes : quick-fix popup frame, 18 quick-fix magbars, either 3 straight hangers or 6 horizontal magbars and two 'D' end hangers
For straight systems horizontal mag bars are recommended instead of graphic hangers
 (Note : Elipse transit case is not included as std)



Take the inner nodes of the popup and with a throw action open out the frame



Lock the popup frame magnetic locking arms into position



Offer up each magbar to the popup frame node and the magbar will snap magnetically into place



Fit 4 lines of 3 quick-fix magbars vertically and 2 lines of 3 original magbars horizontally across the front of the frame.
 Then fit 2 lines of 3 quick-fix magbars vertically on each side, at the rear of the frame



Finally unroll each panel and locate onto the magbars
 Line up the panel edge with the centre of each magbar

Technical Specification (3 x 3 straight)

- Assembled size : 2235mm (H) x 2700mm (W) x 310mm (D)
- Unit weight inc transit case : 19kg approx
- Single magbar weight : 0.2kg approx
- Single 3 x 3 popup frame weight : 4.3kg approx
- Elipse transit case weight : 9kg approx



Completed System

To unassemble the system reverse the instructions remembering to :

Remove each panel from the bottom edge and roll with the mag tape on the inner edge

Important note :
Remove all magbars and unfasten locking arms before collapsing the popup frame

Evolution Pop-Up Panel Heights

quads	Xpress	Midi	Quick	Quick Midi	Jumbo	Spider
1 quad	776 mm	647 mm	776 mm	647 mm	-	766 mm
2 quad	1495 mm	1245 mm	1495 mm	1245 mm	1996 mm	1485 mm
3 quad	2225 mm	1850 mm	2225 mm	1850 mm	-	2375 mm
4 quad	2968 mm	2455 mm	2968 mm	2455 mm	-	3159 mm
5 quad	3710 mm	-	3710 mm	-	-	3943 mm


NB - Recommend no more than 4 quads high on straight pop-ups and to use stabilising feet.



A typical 3 x 3 kit includes : quick-fix popup frame, 18 quick-fix magbars, 3 front hangers and kickers and two 'D' end hangers
(Note : Elipse transit case is not included)



Take the inner nodes of the popup and with a throw action open out the frame




Lock the popup frame magnetic locking arms into position



Offer up each magbar to the popup frame node and the magbar will snap magnetically into place



Magbars should run vertically (4 lines across the front of the frame and 2 lines on each side at the rear)



Finally unroll each panel and locate the plastic hanger hook onto each frame stud
Line up the panel edge with the centre of the magbar

Technical Specification (3 x 3 curved)

- Assembled size : 2235mm (H) x 2540mm (W) x 685mm (D)
- Unit weight inc transit case : 18kg approx
- Single magbar weight : 0.2kg approx
- Single 3 x 3 popup frame weight : 4.3kg approx
- Elipse transit case weight : 9kg approx



Completed System

To unassemble the system reverse the instructions remembering to :

Remove each panel from the bottom edge and roll with the mag tape on the inner edge

Important note :
Remove all magbars and unfasten locking arms before collapsing the popup frame